INFINITY Hardware

Infinity Hardware Factory
www.inf-hardware.com



6/ HANDLE

- Door Handles are manufactured by using heavy wall high grade Brass and SUS 316/304 Stainless steel tubing, precision bending, cutting & welding process and polished meticulous try to meet industry standards.

- Available Finishes:

Brass:

CH: Chrome
BN: Brushed Nickel
ORB: Oil Rubbed Bronze
TP: Titanium Plated (PVD coated as Gold color but never change)

SUS316/304:

PSS: Polished Stainless Steel.
SSS: Satin Stainless Steel.
ORB: Oil Rubbed Bronze
TP: Titanium Plated (PVD coated as Gold color but never change)

- **Connector construction For Glass Door / Wooden Door**



Back-to-back
Both sides handle



Flat cap screw on Single sided handle upon request

Longer Screw for wooden doors, aluminum doors, steel doors available by order.

HANDLE

Our door handle are manufactured by high quality SUS316 or SUS304 stainless steel and Brass.
All the handle with high quality finished and construction.

- All INF Pulls and Towel Bar Sets are constructed of heavy wall Brass tubing and SUS 316/304 stainless steel tubing.Tubing Diameter: 19mm(3/4”); 25mm(1”)

- Fits glass thickness from 6mm(1/4”) to 12mm(1/2”)

- Available Finishes:

Brass:

CH: Chrome
BN: Brushed Nickel
ORB: Oil Rubbed Bronze
TP: Titanium Plated (PVD coated as Gold color but never change)

SUS316/304:

PSS: Polished Stainless Steel.
SSS: Satin Stainless Steel.
ORB:Oil Rubbed Bronze
TP: Titanium Plated (PVD coated as Gold color but never change)



ISH-01



	L1(C/C)	D m/m
A	152(6")	19(3/4")/25(1")
B	203(8")	19(3/4")/25(1")
C	254(10")	19(3/4")/25(1")
D	305(12")	19(3/4")/25(1")
E	457(18")	19(3/4")/25(1")
F	Customer size are available	



ISH-01S





ISH-01SK

	L1(C/C)	D m/m
A	152(6")	19(3/4")/25(1")
B	203(8")	19(3/4")/25(1")
C	254(10")	19(3/4")/25(1")
D	305(12")	19(3/4")/25(1")
E	457(18")	19(3/4")/25(1")
F	Customer size are available	



ISH-01SS





ISH-01SKS

	L1(C/C)	S m/m
A	305(12")	25 X 25
B	457(18")	25 X 25
C	610(24")	25 X 25
D	400	25 X 25
E	600	25 X 25
F	Customer size are available	



ISH-12



	L1(C/C)	L2(C/C)mm	D m/m
A	152(6")	406(16")	19(3/4")/25(1")
B	203(8")	457(18")	19(3/4")/25(1")
C	254(10")	508(20")	19(3/4")/25(1")
D	305(12")	559(22")	19(3/4")/25(1")
E	203(8")	609(24")	19(3/4")/25(1")
F	Customer size are available		



ISH-12S



	L1(C/C)	L2(C/C)mm	S m/m
A	152(6")	406(16")	25(1") X 25(1")
B	203(8")	457(18")	25(1") X 25(1")
C	254(10")	508(20")	25(1") X 25(1")
D	305(12")	559(22")	25(1") X 25(1")
E	203(8")	609(24")	25(1") X 25(1")
F	Customer size are available		





IH-01



	L	C-C	H	D
A	169	150	70	19
B	219	200	70	19
C	319	300	70	19
D	475	450	70	25
E	525	500	70	25
F	Customer size are available			



IH-01W



	L	C-C	H	D
A	169	150	70	19
B	219	200	70	19
C	319	300	70	19
D	475	450	70	25
E	525	500	70	25
F	Customer size are available			



IH-03



	L1(C/C)	D
A	305	25
B	305	32
C	350	32
D	450	32
E	Customer size are available	



IH-03W



	L1(C/C)	D
A	305	25
B	305	32
C	350	32
D	450	32
E	Customer size are available	





	L1(C/C)	D
A	200	25
B	200	32
C	250	32
D	305	25
E	305	32
F	350	32

IH-04





	L	C-C	H	D
A	600	300	75	32
B	800	400	78	38

IH-13





	L	C-C	H	D
A	400	300	62	22
B	600	400	72	32
C	800	600	80	38

IH-14





	L	C-C	H	D
A	169	150	70	19
B	219	200	70	19
C	319	300	70	19
D	475	450	70	25
E	525	500	70	25
F	482	450	72	32
G	632	600	72	32
H	Customer size are available			

IH-15





	L	C-C	H	D
A	450	300	67	25
B	450	300	72	32
C	600	400	72	32
D	600	400	80	38
E	1000	800	72	32
F	1800	1600	80	38
G	Customer size are available			

IH-16





	L	C-C	H	D
A	450	350	72	33
B	800	500	80	39
C	1200	800	80	39
D	Customer size are available			

IH-16W





	L	C-C	H	D
A	387.5	300	67	25
B	491	400	72	32
C	691	600	72	32
D	Customer size are available			

IH-27





	L1(C/C)	D
A	200	25
B	200	32
C	250	32
D	305	25
E	305	32
F	350	32

IH-18





L	D
102	25
Customer size are available	

IH-19





	L	L1(C/C)	D
A	800	450	32
B	1500	800	32
C	Customer size are available		

IH-20





	L	L1(C/C)	D
A	600	400	32
B	800	600	32
C	Customer size are available		

IH-21





L1(C/C)	D
305	32

IH-22





	L	C-C	H	S
A	475	275	65	25X25
B	600	425	65	25X25
C	800	600	65	25X38
D	Customer size are available			

IH-23





	L	C-C	H	S
A	169	150	70	25X25
B	219	200	70	25X25
C	319	300	70	25X25
D	475	450	70	25X25
E	525	500	70	25X25
F	482	450	70	50X25
G	632	600	70	50X25
H	Customer size are available			

IH-24





	L	C-C	H	S
A	600	540	70	15X30
B	1500	1300	75	25X38
C	450	300	70	15X30
D	Customer size are available			

IH-25





	L	C-C	H	S
A	500	300	60	30X30
B	600	400	60	30X30
C	800	600	60	30X30
D	Customer size are available			

IH-26